

1643

ENTER CENTER 1600/2900

RAW SEQUENCE LISTING
 PATENT APPLICATION: US/09/580,201A
 DATE: 11/07/2000
 TIME: 15:56:31

Input Set : A:\2314-187.app
 Output Set: N:\CRF3\11072000\I580201A.raw

ENTERED

3 <110> APPLICANT: McIntosh, J. Michael
 4 Olivera, Baldomero M.
 5 Cruz, Lourdes J.
 6 Corpuz, Gloria P.
 7 Jones, Robert M.
 8 Garrett, James E.
 10 <120> TITLE OF INVENTION: Conotoxin Peptides
 12 <130> FILE REFERENCE: Conotoxin Peptides
 C--> 14 <140> CURRENT APPLICATION NUMBER: US/09/580,201A
 C--> 15 <141> CURRENT FILING DATE: 2000-05-26
 17 <150> PRIOR APPLICATION NUMBER: US 60/173,298
 18 <151> PRIOR FILING DATE: 1999-12-28
 20 <150> PRIOR APPLICATION NUMBER: US 60/118,381
 21 <151> PRIOR FILING DATE: 1999-01-29
 23 <150> PRIOR APPLICATION NUMBER: US 09/493,143
 24 <151> PRIOR FILING DATE: 2000-01-28
 26 <160> NUMBER OF SEQ ID NOS: 20
 28 <170> SOFTWARE: PatentIn Ver. 2.0
 30 <210> SEQ ID NO: 1
 31 <211> LENGTH: 14
 32 <212> TYPE: PRT
 33 <213> ORGANISM: Artificial Sequence
 35 <220> FEATURE:
 36 <223> OTHER INFORMATION: Description of Artificial Sequence:generic
 37 conotoxin peptide sequence
 39 <220> FEATURE:
 40 <221> NAME/KEY: PEPTIDE
 41 <222> LOCATION: (1)..(2)
 42 <223> OTHER INFORMATION: Xaa at residue 1 is des-Xaa, Asn, Gln or pyro-Glu;
 43 Xaa at residue 2 is des-Xaa, Gly, Ala, Glu, gamma-
 44 carboxy-Glu, Asp, Asn, Ser, Thr, g-Asn (where g is
 45 glycosylation), g-Ser or g-Thr;
 47 <220> FEATURE:
 48 <221> NAME/KEY: PEPTIDE
 49 <222> LOCATION: (3)..(7)
 50 <223> OTHER INFORMATION: Xaa at residue 3 is Val, Ala, Gly, Leu, Ile, Ser,
 51 Thr, g-Asn, g-Ser or g-Thr; Xaa at residue 7 is
 52 Phe, Tyr, meta-Tyr, ortho-Tyr, nor-Tyr,
 53 mono-halo-Tyr, di-halo-Tyr, O-sulpho-Tyr,
 W--> 54 O-phospho-Tyr,
 56 <220> FEATURE:
 57 <221> NAME/KEY: PEPTIDE
 58 <222> LOCATION: (7)
 59 <223> OTHER INFORMATION: nitro-Tyr, Trp (D or L), neo-Trp, halo-Trp (D or
 60 L), any synthetic aromatic amino acid, an
 61 aliphatic amino acid bearing linear or branched
 62 saturated hydrocarbon chains such as Leu (D or L),

RAW SEQUENCE LISTING DATE: 11/07/2000
 PATENT APPLICATION: US/09/580,201A TIME: 15:56:31

Input Set : A:\2314-187.app
 Output Set: N:\CRF3\11072000\I580201A.raw

```

W--> 63      Ile and
        65 <220> FEATURE:
        66 <221> NAME/KEY: PEPTIDE
        67 <222> LOCATION: (7)..(8)
        68 <223> OTHER INFORMATION: Val or non-natural derivatives of the aliphatic
        69 amino acid; Xaa at residue 8 is Lys, Arg,
        70 homolysine, homoarginine, ornithine, nor-Lys, His,
        71 N-methyl-Lys, N,N'-dimethyl-Lys,
W--> 72      N,N',N''-trimethyl-Lys,
        74 <220> FEATURE:
        75 <221> NAME/KEY: PEPTIDE
        76 <222> LOCATION: (8)..(9)
        77 <223> OTHER INFORMATION: any synthetic basic amino acid, Ser, Thr, g-Ser,
        78 g-Thr or any hydroxylated synthetic residue; Xaa
        79 at residue 9 is an aliphatic amino acids bearing
        80 linear or branched saturated hydrocarbon chains
W--> 81      such
        83 <220> FEATURE:
        84 <221> NAME/KEY: PEPTIDE
        85 <222> LOCATION: (9)
        86 <223> OTHER INFORMATION: as Leu (D or L), Ile and Val or non-natural
        87 derivatives of the aliphatic amino acid; Met, Phe,
        88 Tyr, meta-Tyr, ortho-Tyr, nor-Tyr, mono-halo-Tyr,
        89 di-halo-Tyr, O-sulpho-Tyr, O-phospho-Tyr,
W--> 90      nitro-Tyr,
        92 <220> FEATURE:
        93 <221> NAME/KEY: PEPTIDE
        94 <222> LOCATION: (9)..(11)
        95 <223> OTHER INFORMATION: Trp (D or L), neo-Trp, halo-Trp (D or L) or any
        96 synthetic aromatic amino acid; Xaa at residue 11
        97 is His, Ser, Thr, g-Ser, g-Thr, an aliphatic amino
        98 acid bearing linear or branched saturated
        100 <220> FEATURE:
        101 <221> NAME/KEY: NP_BIND
        102 <222> LOCATION: (11)
        103 <223> OTHER INFORMATION: hydrocarbon chains such as Leu (D or L), Ile and
        104 Val, non-natural derivatives of the aliphatic
        105 amino acid, Phe, Tyr, meta-Tyr, ortho-Tyr,
        106 nor-Tyr, mono-halo-Tyr, di-halo-Tyr, O-sulpho-Tyr,
        108 <220> FEATURE:
        109 <221> NAME/KEY: PEPTIDE
        110 <222> LOCATION: (11)..(14)
        111 <223> OTHER INFORMATION: O-phospho-Tyr, nitro-Tyr, Trp (D or L), neo-Trp,
        112 halo-Trp (D or L) or a synthetic aromatic amino
        113 acid; Xaa at residue 12 is Pro, hydroxy- Pro (Hyp)
        114 or g-Hyp; Xaa at residue 14 is des-Xaa, Gly, Ala,
        116 <220> FEATURE:
        117 <221> NAME/KEY: PEPTIDE
        118 <222> LOCATION: (14)
  
```

RAW SEQUENCE LISTING

DATE: 11/07/2000

PATENT APPLICATION: US/09/580,201A

TIME: 15:56:31

Input Set : A:\2314-187.app

Output Set: N:\CRF3\11072000\I580201A.raw

```

119 <223> OTHER INFORMATION: Lys, Arg, homolysine, homoarginine, ornithine,
120   nor-Lys, His, N-methyl-Lys, N,N'-dimethyl-Lys,
121   N,N',N''-trimethyl-Lys or any synthetic basic
122   amino acid.
124 <400> SEQUENCE: 1
W--> 125 Xaa Xaa Xaa Cys Cys Gly Xaa Xaa Xaa Cys Xaa Xaa Cys Xaa
126   1           5           10
129 <210> SEQ ID NO: 2
130 <211> LENGTH: 13
131 <212> TYPE: PRT
132 <213> ORGANISM: Conus marmoreus
134 <220> FEATURE:
135 <221> NAME/KEY: PEPTIDE
136 <222> LOCATION: (7)..(8)
137 <223> OTHER INFORMATION: Xaa at residue 7 is Tyr, mono-halo-Tyr,
138   di-halo-Tyr, O-sulpho-Tyr, O-Phospho-Tyr or
139   nitro-Tyr; Xaa at residue 8 is Lys, N-methyl-Lys,
140   N,N-dimethyl-Lys or N,N,N-trimethyl Lys
142 <220> FEATURE:
143 <221> NAME/KEY: PEPTIDE
144 <222> LOCATION: (12)
145 <223> OTHER INFORMATION: Xaa at residue 12 is Pro or hydroxy-Pro.
147 <400> SEQUENCE: 2
W--> 148 Asn Gly Val Cys Cys Gly Xaa Xaa Leu Cys His Xaa Cys
149   1           5           10
152 <210> SEQ ID NO: 3
153 <211> LENGTH: 12
154 <212> TYPE: PRT
155 <213> ORGANISM: Conus marmoreus
157 <220> FEATURE:
158 <221> NAME/KEY: PEPTIDE
159 <222> LOCATION: (6)..(7)
160 <223> OTHER INFORMATION: Xaa at residue 6 is Tyr, mono-halo-Tyr,
161   di-halo-Tyr, O-sulpho-Tyr, O-Phospho-Tyr or
162   nitro-Tyr; Xaa at residue 7 is Lys, N-methyl-Lys,
163   N,N-dimethyl-Lys or N,N,N-trimethyl Lys
165 <220> FEATURE:
166 <221> NAME/KEY: PEPTIDE
167 <222> LOCATION: (11)
168 <223> OTHER INFORMATION: Xaa at residue 11 is Pro or hydroxy-Pro
170 <400> SEQUENCE: 3
W--> 171 Gly Val Cys Cys Gly Xaa Xaa Leu Cys His Xaa Cys
172   1           5           10
175 <210> SEQ ID NO: 4
176 <211> LENGTH: 12
177 <212> TYPE: PRT
178 <213> ORGANISM: Unknown
180 <220> FEATURE:
181 <223> OTHER INFORMATION: Description of Unknown Organism: unknown Conus

```

RAW SEQUENCE LISTING DATE: 11/07/2000
 PATENT APPLICATION: US/09/580,201A TIME: 15:56:31

Input Set : A:\2314-187.app
 Output Set: N:\CRF3\11072000\I580201A.raw

```

182     species
184 <220> FEATURE:
185 <221> NAME/KEY: PEPTIDE
186 <222> LOCATION: (6)..(7)
187 <223> OTHER INFORMATION: Xaa at residue 6 is Tyr, mono-halo-Tyr,
188     di-halo-Tyr, O-sulpho-Tyr, O-Phospho-Tyr or
189     nitro-Tyr; Xaa at residue 7 is Lys, N-methyl-Lys,
190     N,N-dimethyl-Lys or N,N,N-trimethyl Lys.
192 <220> FEATURE:
193 <221> NAME/KEY: PEPTIDE
194 <222> LOCATION: (11)
195 <223> OTHER INFORMATION: Xaa at residue 11 is Pro or hydroxy-Pro
197 <400> SEQUENCE: 4
W--> 198 Gly Val Cys Cys Gly Xaa Xaa Leu Cys His Xaa Cys
199     1           5           10
202 <210> SEQ ID NO: 5
203 <211> LENGTH: 11
204 <212> TYPE: PRT
205 <213> ORGANISM: Conus bandanus
207 <220> FEATURE:
208 <221> NAME/KEY: PEPTIDE
209 <222> LOCATION: (5)..(6)
210 <223> OTHER INFORMATION: Xaa at residue 5 is Tyr, mono-halo-Tyr,
211     di-halo-Tyr, O-sulpho-Tyr, O-phospho-Tyr,
212     nitro-Tyr; Xaa at residue 6 is Lys, N-methyl-Lys,
213     N,N-dimethyl-Lys or N,N,N-trimethyl-Lys;
215 <220> FEATURE:
216 <221> NAME/KEY: PEPTIDE
217 <222> LOCATION: (10)
218 <223> OTHER INFORMATION: Xaa at residue 10 is Pro or hydroxy-Pro (Hyp)
220 <400> SEQUENCE: 5
W--> 221 Ala Cys Cys Gly Xaa Xaa Lys Cys Ser Xaa Cys
222     1           5           10
225 <210> SEQ ID NO: 6
226 <211> LENGTH: 13
227 <212> TYPE: PRT
228 <213> ORGANISM: Conus textile
230 <220> FEATURE:
231 <221> NAME/KEY: PEPTIDE
232 <222> LOCATION: (1)..(11)
233 <223> OTHER INFORMATION: Xaa at residue 1 is Gln or pyro-Glu; Xaa at
234     residue 6 is Tyr, mono-halo-Tyr, di-halo-Tyr,
235     O-sulpho-Tyr, O-phospho-Tyr, nitro-Tyr; Xaa at
236     residue 11 is Pro or hydroxy-Pro (Hyp)
238 <400> SEQUENCE: 6
W--> 239 Xaa Thr Cys Cys Gly Xaa Arg Met Cys Val Xaa Cys Gly
240     1           5           10
243 <210> SEQ ID NO: 7
244 <211> LENGTH: 13
  
```

RAW SEQUENCE LISTING DATE: 11/07/2000
 PATENT APPLICATION: US/09/580,201A TIME: 15:56:31

Input Set : A:\2314-187.app
 Output Set: N:\CRF3\11072000\I580201A.raw

```

245 <212> TYPE: PRT
246 <213> ORGANISM: Conus pennaceus
248 <220> FEATURE:
249 <221> NAME/KEY: PEPTIDE
250 <222> LOCATION: (7)..(11)
251 <223> OTHER INFORMATION: Xaa at residue 7 is Lys, N-methy-Lys,
252     N,N-dimethyl-Lys or N,N,N-trimethyl-Lys; Xaa at
253     residue 11 is Pro or hydroxy-Pro (Hyp)
255 <400> SEQUENCE: 7
W--> 256 Ser Thr Cys Cys Gly Phe Xaa Met Cys Ile Xaa Cys Arg
      257   1           5           10
260 <210> SEQ ID NO: 8
261 <211> LENGTH: 25
262 <212> TYPE: DNA
263 <213> ORGANISM: Conus marmoreus
265 <220> FEATURE:
266 <221> NAME/KEY: modified_base
267 <222> LOCATION: (14)
268 <223> OTHER INFORMATION: i
270 <400> SEQUENCE: 8
W--> 271 caggatccaa yggngtbtgy tgygg                25
      274 <210> SEQ ID NO: 9
      275 <211> LENGTH: 28
      276 <212> TYPE: DNA
      277 <213> ORGANISM: Conus marmoreus
      279 <220> FEATURE:
      280 <221> NAME/KEY: modified_base
      281 <222> LOCATION: (26)
      282 <223> OTHER INFORMATION: i
      284 <400> SEQUENCE: 9
W--> 285 ctggatccgg rtgrcavary ttrtañcc            28
      288 <210> SEQ ID NO: 10
      289 <211> LENGTH: 23
      290 <212> TYPE: DNA
      291 <213> ORGANISM: Artificial Sequence
      293 <220> FEATURE:
      294 <223> OTHER INFORMATION: Description of Artificial Sequence:universal
      295     primer
      297 <400> SEQUENCE: 10
      298 aagctcgagt aacaacgcag agt                23
      301 <210> SEQ ID NO: 11
      302 <211> LENGTH: 805
      303 <212> TYPE: DNA
      304 <213> ORGANISM: Conus marmoreus
      306 <220> FEATURE:
      307 <221> NAME/KEY: CDS
      308 <222> LOCATION: (82)..(264)
      310 <400> SEQUENCE: 11
      311 ggcgaataca cctggcaggt actcaacgaa cttcaggaca cattcttttc acctggacac 60
  
```

VERIFICATION SUMMARY DATE: 11/07/2000
PATENT APPLICATION: US/09/580,201A TIME: 15:56:32

Input Set : A:\2314-187.app
Output Set: N:\CRF3\11072000\I580201A.raw

L:14 M:270 C: Current Application Number differs, Replaced Application Number
L:15 M:271 C: Current Filing Date differs, Replaced Current Filing Date
L:54 M:259 W: Field exceeds allowed number of lines, <223> Other Information:
L:63 M:259 W: Field exceeds allowed number of lines, <223> Other Information:
L:72 M:259 W: Field exceeds allowed number of lines, <223> Other Information:
L:81 M:259 W: Field exceeds allowed number of lines, <223> Other Information:
L:90 M:259 W: Field exceeds allowed number of lines, <223> Other Information:
L:125 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1
L:148 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:2
L:171 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3
L:198 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:4
L:221 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:5
L:239 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:6
L:256 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:7
L:271 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:8
L:285 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:9